



BARGE "H-539"

INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4
2 CENTER	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-4/8	- 00-4/8	00-3/4	- 00-3/4
3 CENTER	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-1/2	00-1/2

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 2 CENTER IS - 00-1/4"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 2 CENTER, THE TRIM CORRECTED INNAGE IS 3'-11 3/4"

LENGTH BETWEEN DRAFT MARKS: 166'-06"

May 17, 2021

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "H-539"

1 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-00 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,538.59	0	2,765.69	0	2,989.34	0	3,213.00	0	3,420.00	0		0		0		0		0	
1/4	2,543.85	1/4	2,770.35	1/4	2,994.00	1/4	3,217.66	1/4	3,420.89	1/4		1/4		1/4		1/4		1/4	
1/2	2,549.11	1/2	2,775.01	1/2	2,998.66	1/2	3,222.32	1/2	3,421.79	1/2		1/2		1/2		1/2		1/2	
3/4	2,554.38	3/4	2,779.67	3/4	3,003.32	3/4	3,226.98	3/4	3,422.68	3/4		3/4		3/4		3/4		3/4	
1	2,559.64	1	2,784.33	1	3,007.98	1	3,231.64	1		1		1		1		1		1	
1/4	2,564.56	1/4	2,788.99	1/4	3,012.64	1/4	3,236.30	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,569.47	1/2	2,793.64	1/2	3,017.30	1/2	3,240.96	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,574.39	3/4	2,798.30	3/4	3,021.96	3/4	3,245.62	3/4		3/4		3/4		3/4		3/4		3/4	
2	2,579.31	2	2,802.96	2	3,026.62	2	3,250.28	2		2		2		2		2		2	
1/4	2,583.97	1/4	2,807.62	1/4	3,031.28	1/4	3,254.94	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,588.63	1/2	2,812.28	1/2	3,035.94	1/2	3,259.59	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,593.29	3/4	2,816.94	3/4	3,040.60	3/4	3,264.25	3/4		3/4		3/4		3/4		3/4		3/4	
3	2,597.95	3	2,821.60	3	3,045.26	3	3,268.91	3		3		3		3		3		3	
1/4	2,602.61	1/4	2,826.26	1/4	3,049.92	1/4	3,273.57	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,607.26	1/2	2,830.92	1/2	3,054.58	1/2	3,278.23	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,611.92	3/4	2,835.58	3/4	3,059.24	3/4	3,282.89	3/4		3/4		3/4		3/4		3/4		3/4	
4	2,616.58	4	2,840.24	4	3,063.90	4	3,287.55	4		4		4		4		4		4	
1/4	2,621.24	1/4	2,844.90	1/4	3,068.56	1/4	3,292.21	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,625.90	1/2	2,849.56	1/2	3,073.21	1/2	3,296.87	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,630.56	3/4	2,854.22	3/4	3,077.87	3/4	3,301.53	3/4		3/4		3/4		3/4		3/4		3/4	
5	2,635.22	5	2,858.88	5	3,082.53	5	3,306.19	5		5		5		5		5		5	
1/4	2,639.88	1/4	2,863.54	1/4	3,087.19	1/4	3,310.85	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,644.54	1/2	2,868.20	1/2	3,091.85	1/2	3,315.51	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,649.20	3/4	2,872.86	3/4	3,096.51	3/4	3,320.17	3/4		3/4		3/4		3/4		3/4		3/4	
6	2,653.86	6	2,877.52	6	3,101.17	6	3,324.83	6		6		6		6		6		6	
1/4	2,658.52	1/4	2,882.18	1/4	3,105.83	1/4	3,329.49	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,663.18	1/2	2,886.83	1/2	3,110.49	1/2	3,334.15	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,667.84	3/4	2,891.49	3/4	3,115.15	3/4	3,338.81	3/4		3/4		3/4		3/4		3/4		3/4	
7	2,672.50	7	2,896.15	7	3,119.81	7	3,343.47	7		7		7		7		7		7	
1/4	2,677.16	1/4	2,900.81	1/4	3,124.47	1/4	3,348.13	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,681.82	1/2	2,905.47	1/2	3,129.13	1/2	3,352.78	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,686.48	3/4	2,910.13	3/4	3,133.79	3/4	3,357.44	3/4		3/4		3/4		3/4		3/4		3/4	
8	2,691.14	8	2,914.79	8	3,138.45	8	3,362.10	8		8		8		8		8		8	
1/4	2,695.80	1/4	2,919.45	1/4	3,143.11	1/4	3,366.76	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,700.45	1/2	2,924.11	1/2	3,147.77	1/2	3,371.42	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,705.11	3/4	2,928.77	3/4	3,152.43	3/4	3,376.08	3/4		3/4		3/4		3/4		3/4		3/4	
9	2,709.77	9	2,933.43	9	3,157.09	9	3,380.74	9		9		9		9		9		9	
1/4	2,714.43	1/4	2,938.09	1/4	3,161.75	1/4	3,385.18	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,719.09	1/2	2,942.75	1/2	3,166.40	1/2	3,389.61	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,723.75	3/4	2,947.41	3/4	3,171.06	3/4	3,394.05	3/4		3/4		3/4		3/4		3/4		3/4	
10	2,728.41	10	2,952.07	10	3,175.72	10	3,398.49	10		10		10		10		10		10	
1/4	2,733.07	1/4	2,956.73	1/4	3,180.38	1/4	3,401.89	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,737.73	1/2	2,961.39	1/2	3,185.04	1/2	3,405.30	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,742.39	3/4	2,966.05	3/4	3,189.70	3/4	3,408.71	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,747.05	11	2,970.71	11	3,194.36	11	3,412.12	11		11		11		11		11		11	
1/4	2,751.71	1/4	2,975.37	1/4	3,199.02	1/4	3,414.09	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,756.37	1/2	2,980.02	1/2	3,203.68	1/2	3,416.06	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,761.03	3/4	2,984.68	3/4	3,208.34	3/4	3,418.03	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED BY: 05/17/2021 JS
CALCULATED: 05/17/2021 CL
PRINTED: 05/18/2021 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2021

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "H-539"

2 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-00"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,842.75	0	3,130.72	0	3,418.69	0	3,706.66	0	3,973.65	0		0		0		0		0	
1/4	2,848.75	1/4	3,136.72	1/4	3,424.69	1/4	3,712.66	1/4	3,974.65	1/4		1/4		1/4		1/4		1/4	
1/2	2,854.75	1/2	3,142.72	1/2	3,430.69	1/2	3,718.66	1/2	3,975.65	1/2		1/2		1/2		1/2		1/2	
3/4	2,860.75	3/4	3,148.72	3/4	3,436.69	3/4	3,724.66	3/4	3,976.65	3/4		3/4		3/4		3/4		3/4	
1	2,866.75	1	3,154.72	1	3,442.69	1	3,730.66	1		1		1		1		1		1	
1/4	2,872.75	1/4	3,160.72	1/4	3,448.69	1/4	3,736.66	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,878.74	1/2	3,166.72	1/2	3,454.69	1/2	3,742.66	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,884.74	3/4	3,172.72	3/4	3,460.69	3/4	3,748.66	3/4		3/4		3/4		3/4		3/4		3/4	
2	2,890.74	2	3,178.71	2	3,466.69	2	3,754.66	2		2		2		2		2		2	
1/4	2,896.74	1/4	3,184.71	1/4	3,472.69	1/4	3,760.66	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,902.74	1/2	3,190.71	1/2	3,478.68	1/2	3,766.66	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,908.74	3/4	3,196.71	3/4	3,484.68	3/4	3,772.66	3/4		3/4		3/4		3/4		3/4		3/4	
3	2,914.74	3	3,202.71	3	3,490.68	3	3,778.65	3		3		3		3		3		3	
1/4	2,920.74	1/4	3,208.71	1/4	3,496.68	1/4	3,784.65	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,926.74	1/2	3,214.71	1/2	3,502.68	1/2	3,790.65	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,932.74	3/4	3,220.71	3/4	3,508.68	3/4	3,796.65	3/4		3/4		3/4		3/4		3/4		3/4	
4	2,938.74	4	3,226.71	4	3,514.68	4	3,802.65	4		4		4		4		4		4	
1/4	2,944.74	1/4	3,232.71	1/4	3,520.68	1/4	3,808.65	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,950.74	1/2	3,238.71	1/2	3,526.68	1/2	3,814.65	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,956.74	3/4	3,244.71	3/4	3,532.68	3/4	3,820.65	3/4		3/4		3/4		3/4		3/4		3/4	
5	2,962.74	5	3,250.71	5	3,538.68	5	3,826.65	5		5		5		5		5		5	
1/4	2,968.74	1/4	3,256.71	1/4	3,544.68	1/4	3,832.65	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,974.74	1/2	3,262.71	1/2	3,550.68	1/2	3,838.65	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,980.73	3/4	3,268.71	3/4	3,556.68	3/4	3,844.65	3/4		3/4		3/4		3/4		3/4		3/4	
6	2,986.73	6	3,274.71	6	3,562.68	6	3,850.65	6		6		6		6		6		6	
1/4	2,992.73	1/4	3,280.70	1/4	3,568.68	1/4	3,856.65	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,998.73	1/2	3,286.70	1/2	3,574.68	1/2	3,862.65	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,004.73	3/4	3,292.70	3/4	3,580.67	3/4	3,868.65	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,010.73	7	3,298.70	7	3,586.67	7	3,874.65	7		7		7		7		7		7	
1/4	3,016.73	1/4	3,304.70	1/4	3,592.67	1/4	3,880.64	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,022.73	1/2	3,310.70	1/2	3,598.67	1/2	3,886.64	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,028.73	3/4	3,316.70	3/4	3,604.67	3/4	3,892.64	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,034.73	8	3,322.70	8	3,610.67	8	3,898.64	8		8		8		8		8		8	
1/4	3,040.73	1/4	3,328.70	1/4	3,616.67	1/4	3,904.64	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,046.73	1/2	3,334.70	1/2	3,622.67	1/2	3,910.64	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,052.73	3/4	3,340.70	3/4	3,628.67	3/4	3,916.64	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,058.73	9	3,346.70	9	3,634.67	9	3,922.64	9		9		9		9		9		9	
1/4	3,064.73	1/4	3,352.70	1/4	3,640.67	1/4	3,928.39	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,070.73	1/2	3,358.70	1/2	3,646.67	1/2	3,934.15	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,076.72	3/4	3,364.70	3/4	3,652.67	3/4	3,939.90	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,082.72	10	3,370.70	10	3,658.67	10	3,945.65	10		10		10		10		10		10	
1/4	3,088.72	1/4	3,376.69	1/4	3,664.67	1/4	3,950.15	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,094.72	1/2	3,382.69	1/2	3,670.67	1/2	3,954.65	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,100.72	3/4	3,388.69	3/4	3,676.66	3/4	3,959.15	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,106.72	11	3,394.69	11	3,682.66	11	3,963.65	11		11		11		11		11		11	
1/4	3,112.72	1/4	3,400.69	1/4	3,688.66	1/4	3,966.15	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,118.72	1/2	3,406.69	1/2	3,694.66	1/2	3,968.65	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,124.72	3/4	3,412.69	3/4	3,700.66	3/4	3,971.15	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED BY: 05/17/2021 JS
CALCULATED: 05/17/2021 CL
PRINTED: 05/18/2021 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2021

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "H-539"

3 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-11 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,514.33	0	2,768.42	0	3,022.52	0	3,276.61	0	3,512.19	0		0		0		0		0	
1/4	2,519.62	1/4	2,773.72	1/4	3,027.81	1/4	3,281.90	1/4	3,513.07	1/4		1/4		1/4		1/4		1/4	
1/2	2,524.92	1/2	2,779.01	1/2	3,033.10	1/2	3,287.20	1/2	3,513.95	1/2		1/2		1/2		1/2		1/2	
3/4	2,530.21	3/4	2,784.30	3/4	3,038.40	3/4	3,292.49	3/4	3,514.83	3/4		3/4		3/4		3/4		3/4	
1	2,535.51	1	2,789.60	1	3,043.69	1	3,297.78	1		1		1		1		1		1	
1/4	2,540.80	1/4	2,794.89	1/4	3,048.98	1/4	3,303.08	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,546.09	1/2	2,800.19	1/2	3,054.28	1/2	3,308.37	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,551.39	3/4	2,805.48	3/4	3,059.57	3/4	3,313.66	3/4		3/4		3/4		3/4		3/4		3/4	
2	2,556.68	2	2,810.77	2	3,064.87	2	3,318.96	2		2		2		2		2		2	
1/4	2,561.97	1/4	2,816.07	1/4	3,070.16	1/4	3,324.25	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,567.27	1/2	2,821.36	1/2	3,075.45	1/2	3,329.55	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,572.56	3/4	2,826.65	3/4	3,080.75	3/4	3,334.84	3/4		3/4		3/4		3/4		3/4		3/4	
3	2,577.85	3	2,831.95	3	3,086.04	3	3,340.13	3		3		3		3		3		3	
1/4	2,583.15	1/4	2,837.24	1/4	3,091.33	1/4	3,345.43	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,588.44	1/2	2,842.53	1/2	3,096.63	1/2	3,350.72	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,593.74	3/4	2,847.83	3/4	3,101.92	3/4	3,356.01	3/4		3/4		3/4		3/4		3/4		3/4	
4	2,599.03	4	2,853.12	4	3,107.21	4	3,361.31	4		4		4		4		4		4	
1/4	2,604.32	1/4	2,858.42	1/4	3,112.51	1/4	3,366.60	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,609.62	1/2	2,863.71	1/2	3,117.80	1/2	3,371.89	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,614.91	3/4	2,869.00	3/4	3,123.10	3/4	3,377.19	3/4		3/4		3/4		3/4		3/4		3/4	
5	2,620.20	5	2,874.30	5	3,128.39	5	3,382.48	5		5		5		5		5		5	
1/4	2,625.50	1/4	2,879.59	1/4	3,133.68	1/4	3,387.78	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,630.79	1/2	2,884.88	1/2	3,138.98	1/2	3,393.07	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,636.08	3/4	2,890.18	3/4	3,144.27	3/4	3,398.36	3/4		3/4		3/4		3/4		3/4		3/4	
6	2,641.38	6	2,895.47	6	3,149.56	6	3,403.66	6		6		6		6		6		6	
1/4	2,646.67	1/4	2,900.76	1/4	3,154.86	1/4	3,408.95	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,651.96	1/2	2,906.06	1/2	3,160.15	1/2	3,414.24	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,657.26	3/4	2,911.35	3/4	3,165.44	3/4	3,419.54	3/4		3/4		3/4		3/4		3/4		3/4	
7	2,662.55	7	2,916.64	7	3,170.74	7	3,424.83	7		7		7		7		7		7	
1/4	2,667.85	1/4	2,921.94	1/4	3,176.03	1/4	3,430.12	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,673.14	1/2	2,927.23	1/2	3,181.32	1/2	3,435.42	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,678.43	3/4	2,932.53	3/4	3,186.62	3/4	3,440.71	3/4		3/4		3/4		3/4		3/4		3/4	
8	2,683.73	8	2,937.82	8	3,191.91	8	3,446.00	8		8		8		8		8		8	
1/4	2,689.02	1/4	2,943.11	1/4	3,197.21	1/4	3,451.30	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,694.31	1/2	2,948.41	1/2	3,202.50	1/2	3,456.59	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,699.61	3/4	2,953.70	3/4	3,207.79	3/4	3,461.89	3/4		3/4		3/4		3/4		3/4		3/4	
9	2,704.90	9	2,958.99	9	3,213.09	9	3,467.18	9		9		9		9		9		9	
1/4	2,710.19	1/4	2,964.29	1/4	3,218.38	1/4	3,472.26	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,715.49	1/2	2,969.58	1/2	3,223.67	1/2	3,477.33	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,720.78	3/4	2,974.87	3/4	3,228.97	3/4	3,482.41	3/4		3/4		3/4		3/4		3/4		3/4	
10	2,726.08	10	2,980.17	10	3,234.26	10	3,487.48	10		10		10		10		10		10	
1/4	2,731.37	1/4	2,985.46	1/4	3,239.55	1/4	3,491.45	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,736.66	1/2	2,990.76	1/2	3,244.85	1/2	3,495.42	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,741.96	3/4	2,996.05	3/4	3,250.14	3/4	3,499.40	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,747.25	11	3,001.34	11	3,255.44	11	3,503.37	11		11		11		11		11		11	
1/4	2,752.54	1/4	3,006.64	1/4	3,260.73	1/4	3,505.57	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,757.84	1/2	3,011.93	1/2	3,266.02	1/2	3,507.78	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,763.13	3/4	3,017.22	3/4	3,271.32	3/4	3,509.98	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED BY: 05/17/2021 JS
CALCULATED: 05/17/2021 CL
PRINTED: 05/18/2021 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2021

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>