



# BARGE "DBL 160"

## ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	- 00-1/8	00-1/8	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8	- 00-3/4	00-3/4	- 01-0/8	01-0/8
2 CENTER	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4
3 CENTER	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-3/8	00-3/8	- 00-1/2	00-1/2

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"  
 AFT DRAFT = 4'-00"  
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS 00-3/8"  
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED ULLAGE IS 4'-00 3/8"

LENGTH BETWEEN DRAFT MARKS: 162'-03"

September 10, 2020

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588

<http://www.pmacorp.net>





BARGE "DBL 160"

1 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

GAUGE HEIGHT 15'-09 1/4"

Table with columns for gauge height (IN) and capacity in barrels (FT.) for heights from 0 to 19 FT. Each height has three fractional increments: 1/4, 1/2, and 3/4.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 09/10/2020 CL
CALCULATED: 09/10/2020 CL
PRINTED: 09/10/2020 CL

PRECISION MEASUREMENT & ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.pmacorp.net



CANCELS AND SUPERCEDES ALL PRIOR TO 09/2020







