



BARGE "DBL 21"

ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-1/2	- 00-1/2
2 CENTER	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8
3 CENTER	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-1/2	- 00-1/2

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS - 00-1/8"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED ULLAGE IS 3'-11 7/8"

LENGTH BETWEEN DRAFT MARKS: 156'-00"

March 26, 2015

**PRECISION MEASUREMENT
 & ANALYSIS, INC.**
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "DBL 21"

1 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 12' 0 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	405.54	0	186.95	0	2.49	0		0		0		0		0		0		0	
1/4	400.99	1/4	182.39	1/4	2.04	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	396.44	1/2	177.84	1/2	1.58	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	391.88	3/4	173.28	3/4	1.12	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1	387.33	1	168.73	1		1		1		1		1		1		1		1	
1/4	382.78	1/4	164.17	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	378.22	1/2	159.62	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	373.67	3/4	155.06	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2	369.11	2	150.51	2		2		2		2		2		2		2		2	
1/4	364.56	1/4	145.95	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	360.01	1/2	141.40	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	355.45	3/4	136.84	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3	350.90	3	132.29	3		3		3		3		3		3		3		3	
1/4	346.34	1/4	127.74	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	341.79	1/2	123.19	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	337.24	3/4	118.64	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4	332.68	4	114.10	4		4		4		4		4		4		4		4	
1/4	328.13	1/4	109.56	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	323.57	1/2	105.02	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	319.02	3/4	100.48	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5	314.47	5	95.96	5		5		5		5		5		5		5		5	
1/4	309.91	1/4	91.44	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	305.36	1/2	86.92	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	300.81	3/4	82.39	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6	296.25	6	77.90	6		6		6		6		6		6		6		6	
1/4	291.70	1/4	73.40	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	287.14	1/2	68.91	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	282.59	3/4	64.41	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	278.04	7	59.97	7		7		7		7		7		7		7		7	
1/4	273.48	1/4	55.52	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	268.93	1/2	51.07	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	264.37	3/4	46.62	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	259.82	8	42.54	8		8		8		8		8		8		8		8	
1/4	255.27	1/4	38.45	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	250.71	1/2	34.36	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	246.16	3/4	30.28	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	241.60	9	27.09	9		9		9		9		9		9		9		9	
1/4	237.05	1/4	23.90	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	232.49	1/2	20.71	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	227.94	3/4	17.52	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	223.38	10	15.25	10		10		10		10		10		10		10		10	
1/4	218.83	1/4	12.97	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	214.27	1/2	10.69	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	209.72	3/4	8.41	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	205.17	11	7.05	11		11		11		11		11		11		11		11	
1/4	200.61	1/4	5.68	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	196.06	1/2	4.31	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	191.50	3/4	2.95	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 03/25/2015 SW
CALCULATED: 03/25/2015 CL

PRINTED: 03/26/2015 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 3/2015

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "DBL 21"

2 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 12' 1 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	414.86	0	197.92	0	4.51	0		0		0		0		0		0		0	
1/4	410.34	1/4	193.40	1/4	3.16	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	405.82	1/2	188.88	1/2	1.80	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	401.30	3/4	184.36	3/4	1.35	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1	396.78	1	179.84	1	0.90	1		1		1		1		1		1		1	
1/4	392.26	1/4	175.32	1/4	0.45	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	387.74	1/2	170.80	1/2	0.00	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	383.22	3/4	166.28	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2	378.70	2	161.76	2		2		2		2		2		2		2		2	
1/4	374.18	1/4	157.24	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	369.66	1/2	152.72	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	365.14	3/4	148.20	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3	360.62	3	143.68	3		3		3		3		3		3		3		3	
1/4	356.10	1/4	139.17	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	351.58	1/2	134.65	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	347.06	3/4	130.13	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4	342.54	4	125.62	4		4		4		4		4		4		4		4	
1/4	338.02	1/4	121.10	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	333.50	1/2	116.59	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	328.98	3/4	112.08	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5	324.46	5	107.58	5		5		5		5		5		5		5		5	
1/4	319.94	1/4	103.07	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	315.43	1/2	98.57	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	310.91	3/4	94.08	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6	306.39	6	89.60	6		6		6		6		6		6		6		6	
1/4	301.87	1/4	85.11	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	297.35	1/2	80.62	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	292.83	3/4	76.16	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	288.31	7	71.70	7		7		7		7		7		7		7		7	
1/4	283.79	1/4	67.24	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	279.27	1/2	62.78	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	274.75	3/4	58.37	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	270.23	8	53.96	8		8		8		8		8		8		8		8	
1/4	265.71	1/4	49.54	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	261.19	1/2	45.13	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	256.67	3/4	41.08	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	252.15	9	37.02	9		9		9		9		9		9		9		9	
1/4	247.63	1/4	32.97	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	243.11	1/2	28.91	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	238.59	3/4	25.75	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	234.07	10	22.59	10		10		10		10		10		10		10		10	
1/4	229.55	1/4	19.42	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	225.04	1/2	16.26	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	220.52	3/4	14.00	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	216.00	11	11.74	11		11		11		11		11		11		11		11	
1/4	211.48	1/4	9.48	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	206.96	1/2	7.22	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	202.44	3/4	5.87	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 03/25/2015 SW
CALCULATED: 03/25/2015 CL

PRINTED: 03/26/2015 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 3/2015

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "DBL 21"

3 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 12' 1 1/4"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT
0		0		0		0		0		0		0		0		0		0	
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1		1		1		1		1		1		1		1		1		1	
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2		2		2		2		2		2		2		2		2		2	
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3		3		3		3		3		3		3		3		3		3	
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4		4		4		4		4		4		4		4		4		4	
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5		5		5		5		5		5		5		5		5		5	
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6		6		6		6		6		6		6		6		6		6	
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7		7		7		7		7		7		7		7		7		7	
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8		8		8		8		8		8		8		8		8		8	
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9		9		9		9		9		9		9		9		9		9	
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10		10		10		10		10		10		10		10		10		10	
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11		11		11		11		11		11		11		11		11		11	
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
12		12		12		12		12		12		12		12		12		12	
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP LIP OF 8" HATCH.
GAUGE POINT: (8"HATCH) LOCATED ON CENTERLINE AND 28'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "DBL 21"

3 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 12' 1 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	406.56	0	191.62	0	3.13	0		0		0		0		0		0		0	
1/4	402.08	1/4	187.14	1/4	1.79	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	397.60	1/2	182.66	1/2	1.34	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	393.12	3/4	178.19	3/4	0.89	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1	388.65	1	173.71	1	0.45	1		1		1		1		1		1		1	
1/4	384.17	1/4	169.23	1/4	0.00	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	379.69	1/2	164.75	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	375.21	3/4	160.27	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2	370.74	2	155.80	2		2		2		2		2		2		2		2	
1/4	366.26	1/4	151.32	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	361.78	1/2	146.84	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	357.30	3/4	142.36	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3	352.82	3	137.89	3		3		3		3		3		3		3		3	
1/4	348.35	1/4	133.41	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	343.87	1/2	128.93	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	339.39	3/4	124.46	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4	334.91	4	119.99	4		4		4		4		4		4		4		4	
1/4	330.43	1/4	115.52	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	325.96	1/2	111.05	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	321.48	3/4	106.59	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5	317.00	5	102.13	5		5		5		5		5		5		5		5	
1/4	312.52	1/4	97.66	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	308.04	1/2	93.22	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	303.57	3/4	88.77	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6	299.09	6	84.33	6		6		6		6		6		6		6		6	
1/4	294.61	1/4	79.88	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	290.13	1/2	75.46	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	285.65	3/4	71.04	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	281.18	7	66.62	7		7		7		7		7		7		7		7	
1/4	276.70	1/4	62.21	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	272.22	1/2	57.83	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	267.74	3/4	53.46	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	263.27	8	49.09	8		8		8		8		8		8		8		8	
1/4	258.79	1/4	44.71	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	254.31	1/2	40.70	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	249.83	3/4	36.68	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	245.35	9	32.66	9		9		9		9		9		9		9		9	
1/4	240.88	1/4	28.65	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	236.40	1/2	25.51	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	231.92	3/4	22.38	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	227.44	10	19.25	10		10		10		10		10		10		10		10	
1/4	222.96	1/4	16.11	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	218.49	1/2	13.87	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	214.01	3/4	11.63	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	209.53	11	9.40	11		11		11		11		11		11		11		11	
1/4	205.05	1/4	7.16	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	200.57	1/2	5.81	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	196.10	3/4	4.47	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 03/25/2015 SW
CALCULATED: 03/25/2015 CL

PRINTED: 03/26/2015 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 3/2015

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>