



# BARGE "DBL 212"

## INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8
2 CENTER	- 00-3/8	00-3/8	- 00-3/4	00-3/4	- 01-1/8	01-1/8	- 01-1/2	01-1/2	- 01-3/4	01-3/4	- 02-1/8	02-1/8
3 CENTER	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-3/8	00-3/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"  
 AFT DRAFT = 4'-00"  
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 2 CENTER IS 00-3/4"  
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 2 CENTER, THE TRIM CORRECTED INNAGE IS 4'-00 3/4"

LENGTH BETWEEN DRAFT MARKS: 159'-06"

April 20, 2021

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588

<http://www.pmacorp.net>





# BARGE "DBL 212"

## 1 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15-06 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,506.53	0	2,756.03	0	2,980.67	0	3,205.32	0	3,429.96	0		0		0		0		0	
1/4	2,511.90	1/4	2,760.71	1/4	2,985.35	1/4	3,210.00	1/4	3,434.19	1/4		1/4		1/4		1/4		1/4	
1/2	2,517.26	1/2	2,765.39	1/2	2,990.03	1/2	3,214.68	1/2	3,438.42	1/2		1/2		1/2		1/2		1/2	
3/4	2,522.63	3/4	2,770.07	3/4	2,994.71	3/4	3,219.36	3/4	3,442.65	3/4		3/4		3/4		3/4		3/4	
1	2,527.99	1	2,774.75	1	2,999.39	1	3,224.04	1	3,446.88	1		1		1		1		1	
1/4	2,533.36	1/4	2,779.43	1/4	3,004.07	1/4	3,228.72	1/4	3,450.22	1/4		1/4		1/4		1/4		1/4	
1/2	2,538.72	1/2	2,784.11	1/2	3,008.75	1/2	3,233.40	1/2	3,453.55	1/2		1/2		1/2		1/2		1/2	
3/4	2,544.09	3/4	2,788.79	3/4	3,013.43	3/4	3,238.08	3/4	3,456.89	3/4		3/4		3/4		3/4		3/4	
2	2,549.46	2	2,793.47	2	3,018.11	2	3,242.76	2	3,460.22	2		2		2		2		2	
1/4	2,554.82	1/4	2,798.15	1/4	3,022.79	1/4	3,247.44	1/4	3,462.66	1/4		1/4		1/4		1/4		1/4	
1/2	2,560.19	1/2	2,802.83	1/2	3,027.47	1/2	3,252.12	1/2	3,465.10	1/2		1/2		1/2		1/2		1/2	
3/4	2,565.55	3/4	2,807.51	3/4	3,032.15	3/4	3,256.80	3/4	3,467.54	3/4		3/4		3/4		3/4		3/4	
3	2,570.92	3	2,812.19	3	3,036.83	3	3,261.48	3	3,469.97	3		3		3		3		3	
1/4	2,576.28	1/4	2,816.87	1/4	3,041.51	1/4	3,266.16	1/4	3,472.22	1/4		1/4		1/4		1/4		1/4	
1/2	2,581.65	1/2	2,821.55	1/2	3,046.19	1/2	3,270.84	1/2	3,474.46	1/2		1/2		1/2		1/2		1/2	
3/4	2,587.02	3/4	2,826.23	3/4	3,050.87	3/4	3,275.52	3/4	3,476.70	3/4		3/4		3/4		3/4		3/4	
4	2,592.38	4	2,830.91	4	3,055.55	4	3,280.20	4	3,478.94	4		4		4		4		4	
1/4	2,597.75	1/4	2,835.59	1/4	3,060.23	1/4	3,284.88	1/4	3,480.29	1/4		1/4		1/4		1/4		1/4	
1/2	2,603.11	1/2	2,840.27	1/2	3,064.91	1/2	3,289.56	1/2	3,481.63	1/2		1/2		1/2		1/2		1/2	
3/4	2,608.48	3/4	2,844.95	3/4	3,069.59	3/4	3,294.24	3/4	3,482.98	3/4		3/4		3/4		3/4		3/4	
5	2,613.84	5	2,849.63	5	3,074.27	5	3,298.92	5	3,484.32	5		5		5		5		5	
1/4	2,619.21	1/4	2,854.31	1/4	3,078.95	1/4	3,303.60	1/4	3,484.77	1/4		1/4		1/4		1/4		1/4	
1/2	2,624.58	1/2	2,858.99	1/2	3,083.63	1/2	3,308.28	1/2	3,485.22	1/2		1/2		1/2		1/2		1/2	
3/4	2,629.94	3/4	2,863.67	3/4	3,088.31	3/4	3,312.96	3/4	3,485.67	3/4		3/4		3/4		3/4		3/4	
6	2,635.31	6	2,868.35	6	3,092.99	6	3,317.64	6	3,486.11	6		6		6		6		6	
1/4	2,640.69	1/4	2,873.03	1/4	3,097.67	1/4	3,322.32	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,646.07	1/2	2,877.71	1/2	3,102.35	1/2	3,327.00	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,651.45	3/4	2,882.39	3/4	3,107.03	3/4	3,331.68	3/4		3/4		3/4		3/4		3/4		3/4	
7	2,656.83	7	2,887.07	7	3,111.72	7	3,336.36	7		7		7		7		7		7	
1/4	2,662.21	1/4	2,891.75	1/4	3,116.40	1/4	3,341.04	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,667.59	1/2	2,896.43	1/2	3,121.08	1/2	3,345.72	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,672.97	3/4	2,901.11	3/4	3,125.76	3/4	3,350.40	3/4		3/4		3/4		3/4		3/4		3/4	
8	2,678.35	8	2,905.79	8	3,130.44	8	3,355.08	8		8		8		8		8		8	
1/4	2,683.73	1/4	2,910.47	1/4	3,135.12	1/4	3,359.76	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,689.11	1/2	2,915.15	1/2	3,139.80	1/2	3,364.44	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,694.49	3/4	2,919.83	3/4	3,144.48	3/4	3,369.12	3/4		3/4		3/4		3/4		3/4		3/4	
9	2,699.87	9	2,924.51	9	3,149.16	9	3,373.80	9		9		9		9		9		9	
1/4	2,704.55	1/4	2,929.19	1/4	3,153.84	1/4	3,378.48	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,709.23	1/2	2,933.87	1/2	3,158.52	1/2	3,383.16	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,713.91	3/4	2,938.55	3/4	3,163.20	3/4	3,387.84	3/4		3/4		3/4		3/4		3/4		3/4	
10	2,718.59	10	2,943.23	10	3,167.88	10	3,392.52	10		10		10		10		10		10	
1/4	2,723.27	1/4	2,947.91	1/4	3,172.56	1/4	3,397.20	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,727.95	1/2	2,952.59	1/2	3,177.24	1/2	3,401.88	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,732.63	3/4	2,957.27	3/4	3,181.92	3/4	3,406.56	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,737.31	11	2,961.95	11	3,186.60	11	3,411.24	11		11		11		11		11		11	
1/4	2,741.99	1/4	2,966.63	1/4	3,191.28	1/4	3,415.92	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,746.67	1/2	2,971.31	1/2	3,195.96	1/2	3,420.60	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,751.35	3/4	2,975.99	3/4	3,200.64	3/4	3,425.28	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED BY: 04/20/2021 JS  
CALCULATED: 04/20/2021 CL  
PRINTED: 04/20/2021 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 04/2021

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "DBL 212"

## 2 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15-06 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,791.45	0	3,078.16	0	3,364.88	0	3,651.59	0	3,938.30	0		0		0		0		0	
1/4	2,797.42	1/4	3,084.13	1/4	3,370.85	1/4	3,657.56	1/4	3,943.77	1/4		1/4		1/4		1/4		1/4	
1/2	2,803.39	1/2	3,090.11	1/2	3,376.82	1/2	3,663.54	1/2	3,949.23	1/2		1/2		1/2		1/2		1/2	
3/4	2,809.37	3/4	3,096.08	3/4	3,382.79	3/4	3,669.51	3/4	3,954.69	3/4		3/4		3/4		3/4		3/4	
1	2,815.34	1	3,102.05	1	3,388.77	1	3,675.48	1	3,960.16	1		1		1		1		1	
1/4	2,821.31	1/4	3,108.03	1/4	3,394.74	1/4	3,681.45	1/4	3,964.64	1/4		1/4		1/4		1/4		1/4	
1/2	2,827.29	1/2	3,114.00	1/2	3,400.71	1/2	3,687.43	1/2	3,969.12	1/2		1/2		1/2		1/2		1/2	
3/4	2,833.26	3/4	3,119.97	3/4	3,406.69	3/4	3,693.40	3/4	3,973.60	3/4		3/4		3/4		3/4		3/4	
2	2,839.23	2	3,125.95	2	3,412.66	2	3,699.37	2	3,978.08	2		2		2		2		2	
1/4	2,845.21	1/4	3,131.92	1/4	3,418.63	1/4	3,705.35	1/4	3,981.56	1/4		1/4		1/4		1/4		1/4	
1/2	2,851.18	1/2	3,137.89	1/2	3,424.61	1/2	3,711.32	1/2	3,985.05	1/2		1/2		1/2		1/2		1/2	
3/4	2,857.15	3/4	3,143.87	3/4	3,430.58	3/4	3,717.29	3/4	3,988.53	3/4		3/4		3/4		3/4		3/4	
3	2,863.13	3	3,149.84	3	3,436.55	3	3,723.27	3	3,992.01	3		3		3		3		3	
1/4	2,869.10	1/4	3,155.81	1/4	3,442.53	1/4	3,729.24	1/4	3,994.50	1/4		1/4		1/4		1/4		1/4	
1/2	2,875.07	1/2	3,161.79	1/2	3,448.50	1/2	3,735.21	1/2	3,996.99	1/2		1/2		1/2		1/2		1/2	
3/4	2,881.05	3/4	3,167.76	3/4	3,454.47	3/4	3,741.19	3/4	3,999.48	3/4		3/4		3/4		3/4		3/4	
4	2,887.02	4	3,173.73	4	3,460.45	4	3,747.16	4	4,001.97	4		4		4		4		4	
1/4	2,892.99	1/4	3,179.71	1/4	3,466.42	1/4	3,753.13	1/4	4,003.46	1/4		1/4		1/4		1/4		1/4	
1/2	2,898.97	1/2	3,185.68	1/2	3,472.39	1/2	3,759.11	1/2	4,004.96	1/2		1/2		1/2		1/2		1/2	
3/4	2,904.94	3/4	3,191.65	3/4	3,478.37	3/4	3,765.08	3/4	4,006.45	3/4		3/4		3/4		3/4		3/4	
5	2,910.91	5	3,197.63	5	3,484.34	5	3,771.05	5	4,007.94	5		5		5		5		5	
1/4	2,916.89	1/4	3,203.60	1/4	3,490.31	1/4	3,777.03	1/4	4,008.44	1/4		1/4		1/4		1/4		1/4	
1/2	2,922.86	1/2	3,209.57	1/2	3,496.29	1/2	3,783.00	1/2	4,008.94	1/2		1/2		1/2		1/2		1/2	
3/4	2,928.83	3/4	3,215.55	3/4	3,502.26	3/4	3,788.97	3/4	4,009.44	3/4		3/4		3/4		3/4		3/4	
6	2,934.80	6	3,221.52	6	3,508.23	6	3,794.95	6	4,009.93	6		6		6		6		6	
1/4	2,940.78	1/4	3,227.49	1/4	3,514.21	1/4	3,800.92	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,946.75	1/2	3,233.46	1/2	3,520.18	1/2	3,806.89	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,952.72	3/4	3,239.44	3/4	3,526.15	3/4	3,812.87	3/4		3/4		3/4		3/4		3/4		3/4	
7	2,958.70	7	3,245.41	7	3,532.12	7	3,818.84	7		7		7		7		7		7	
1/4	2,964.67	1/4	3,251.38	1/4	3,538.10	1/4	3,824.81	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,970.64	1/2	3,257.36	1/2	3,544.07	1/2	3,830.78	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,976.62	3/4	3,263.33	3/4	3,550.04	3/4	3,836.76	3/4		3/4		3/4		3/4		3/4		3/4	
8	2,982.59	8	3,269.30	8	3,556.02	8	3,842.73	8		8		8		8		8		8	
1/4	2,988.56	1/4	3,275.28	1/4	3,561.99	1/4	3,848.70	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,994.54	1/2	3,281.25	1/2	3,567.96	1/2	3,854.68	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,000.51	3/4	3,287.22	3/4	3,573.94	3/4	3,860.65	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,006.48	9	3,293.20	9	3,579.91	9	3,866.62	9		9		9		9		9		9	
1/4	3,012.46	1/4	3,299.17	1/4	3,585.88	1/4	3,872.60	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,018.43	1/2	3,305.14	1/2	3,591.86	1/2	3,878.57	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,024.40	3/4	3,311.12	3/4	3,597.83	3/4	3,884.54	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,030.38	10	3,317.09	10	3,603.80	10	3,890.52	10		10		10		10		10		10	
1/4	3,036.35	1/4	3,323.06	1/4	3,609.78	1/4	3,896.49	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,042.32	1/2	3,329.04	1/2	3,615.75	1/2	3,902.46	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,048.30	3/4	3,335.01	3/4	3,621.72	3/4	3,908.44	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,054.27	11	3,340.98	11	3,627.70	11	3,914.41	11		11		11		11		11		11	
1/4	3,060.24	1/4	3,346.96	1/4	3,633.67	1/4	3,920.38	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,066.22	1/2	3,352.93	1/2	3,639.64	1/2	3,926.36	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,072.19	3/4	3,358.90	3/4	3,645.62	3/4	3,932.33	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED BY: 04/20/2021 JS  
CALCULATED: 04/20/2021 CL  
PRINTED: 04/20/2021 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 04/2021

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "DBL 212"

## 3 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15-06 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,455.61	0	2,707.46	0	2,959.30	0	3,211.14	0	3,462.98	0		0		0		0		0	
1/4	2,460.86	1/4	2,712.70	1/4	2,964.54	1/4	3,216.39	1/4	3,467.80	1/4		1/4		1/4		1/4		1/4	
1/2	2,466.11	1/2	2,717.95	1/2	2,969.79	1/2	3,221.63	1/2	3,472.61	1/2		1/2		1/2		1/2		1/2	
3/4	2,471.35	3/4	2,723.20	3/4	2,975.04	3/4	3,226.88	3/4	3,477.42	3/4		3/4		3/4		3/4		3/4	
1	2,476.60	1	2,728.44	1	2,980.28	1	3,232.13	1	3,482.24	1		1		1		1		1	
1/4	2,481.85	1/4	2,733.69	1/4	2,985.53	1/4	3,237.37	1/4	3,486.17	1/4		1/4		1/4		1/4		1/4	
1/2	2,487.09	1/2	2,738.94	1/2	2,990.78	1/2	3,242.62	1/2	3,490.11	1/2		1/2		1/2		1/2		1/2	
3/4	2,492.34	3/4	2,744.18	3/4	2,996.02	3/4	3,247.87	3/4	3,494.04	3/4		3/4		3/4		3/4		3/4	
2	2,497.59	2	2,749.43	2	3,001.27	2	3,253.11	2	3,497.98	2		2		2		2		2	
1/4	2,502.83	1/4	2,754.68	1/4	3,006.52	1/4	3,258.36	1/4	3,501.04	1/4		1/4		1/4		1/4		1/4	
1/2	2,508.08	1/2	2,759.92	1/2	3,011.76	1/2	3,263.61	1/2	3,504.10	1/2		1/2		1/2		1/2		1/2	
3/4	2,513.33	3/4	2,765.17	3/4	3,017.01	3/4	3,268.85	3/4	3,507.16	3/4		3/4		3/4		3/4		3/4	
3	2,518.57	3	2,770.42	3	3,022.26	3	3,274.10	3	3,510.22	3		3		3		3		3	
1/4	2,523.82	1/4	2,775.66	1/4	3,027.50	1/4	3,279.35	1/4	3,512.41	1/4		1/4		1/4		1/4		1/4	
1/2	2,529.07	1/2	2,780.91	1/2	3,032.75	1/2	3,284.59	1/2	3,514.59	1/2		1/2		1/2		1/2		1/2	
3/4	2,534.31	3/4	2,786.16	3/4	3,038.00	3/4	3,289.84	3/4	3,516.78	3/4		3/4		3/4		3/4		3/4	
4	2,539.56	4	2,791.40	4	3,043.24	4	3,295.09	4	3,518.97	4		4		4		4		4	
1/4	2,544.81	1/4	2,796.65	1/4	3,048.49	1/4	3,300.33	1/4	3,520.28	1/4		1/4		1/4		1/4		1/4	
1/2	2,550.05	1/2	2,801.90	1/2	3,053.74	1/2	3,305.58	1/2	3,521.59	1/2		1/2		1/2		1/2		1/2	
3/4	2,555.30	3/4	2,807.14	3/4	3,058.98	3/4	3,310.83	3/4	3,522.90	3/4		3/4		3/4		3/4		3/4	
5	2,560.55	5	2,812.39	5	3,064.23	5	3,316.07	5	3,524.21	5		5		5		5		5	
1/4	2,565.80	1/4	2,817.64	1/4	3,069.48	1/4	3,321.32	1/4	3,524.65	1/4		1/4		1/4		1/4		1/4	
1/2	2,571.04	1/2	2,822.88	1/2	3,074.72	1/2	3,326.57	1/2	3,525.09	1/2		1/2		1/2		1/2		1/2	
3/4	2,576.29	3/4	2,828.13	3/4	3,079.97	3/4	3,331.81	3/4	3,525.52	3/4		3/4		3/4		3/4		3/4	
6	2,581.54	6	2,833.38	6	3,085.22	6	3,337.06	6	3,525.96	6		6		6		6		6	
1/4	2,586.78	1/4	2,838.62	1/4	3,090.47	1/4	3,342.31	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,592.03	1/2	2,843.87	1/2	3,095.71	1/2	3,347.55	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,597.28	3/4	2,849.12	3/4	3,100.96	3/4	3,352.80	3/4		3/4		3/4		3/4		3/4		3/4	
7	2,602.52	7	2,854.36	7	3,106.21	7	3,358.05	7		7		7		7		7		7	
1/4	2,607.77	1/4	2,859.61	1/4	3,111.45	1/4	3,363.29	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,613.02	1/2	2,864.86	1/2	3,116.70	1/2	3,368.54	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,618.26	3/4	2,870.10	3/4	3,121.95	3/4	3,373.79	3/4		3/4		3/4		3/4		3/4		3/4	
8	2,623.51	8	2,875.35	8	3,127.19	8	3,379.03	8		8		8		8		8		8	
1/4	2,628.76	1/4	2,880.60	1/4	3,132.44	1/4	3,384.28	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,634.00	1/2	2,885.84	1/2	3,137.69	1/2	3,389.53	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,639.25	3/4	2,891.09	3/4	3,142.93	3/4	3,394.77	3/4		3/4		3/4		3/4		3/4		3/4	
9	2,644.50	9	2,896.34	9	3,148.18	9	3,400.02	9		9		9		9		9		9	
1/4	2,649.74	1/4	2,901.58	1/4	3,153.43	1/4	3,405.27	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,654.99	1/2	2,906.83	1/2	3,158.67	1/2	3,410.51	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,660.24	3/4	2,912.08	3/4	3,163.92	3/4	3,415.76	3/4		3/4		3/4		3/4		3/4		3/4	
10	2,665.48	10	2,917.32	10	3,169.17	10	3,421.01	10		10		10		10		10		10	
1/4	2,670.73	1/4	2,922.57	1/4	3,174.41	1/4	3,426.25	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,675.98	1/2	2,927.82	1/2	3,179.66	1/2	3,431.50	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,681.22	3/4	2,933.06	3/4	3,184.91	3/4	3,436.75	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,686.47	11	2,938.31	11	3,190.15	11	3,441.99	11		11		11		11		11		11	
1/4	2,691.72	1/4	2,943.56	1/4	3,195.40	1/4	3,447.24	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,696.96	1/2	2,948.80	1/2	3,200.65	1/2	3,452.49	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,702.21	3/4	2,954.05	3/4	3,205.89	3/4	3,457.73	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED BY: 04/20/2021 JS  
CALCULATED: 04/20/2021 CL  
PRINTED: 04/20/2021 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 04/2021

PRECISION MEASUREMENT  
& ANALYSIS, INC.

P.O. Box 2092  
Pearland, Texas 77588

<http://www.pmacorp.net>





# BARGE "DBL 212"

# FUEL TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	120	0	299	0	460	0		0		0		0		0		0	
1/4	0	1/4	123	1/4	303	1/4	463	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1	1/2	127	1/2	307	1/2	465	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2	3/4	130	3/4	310	3/4	468	3/4		3/4		3/4		3/4		3/4		3/4	
1	3	1	134	1	314	1	470	1		1		1		1		1		1	
1/4	4	1/4	137	1/4	318	1/4	472	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	6	1/2	141	1/2	322	1/2	475	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	7	3/4	144	3/4	325	3/4	477	3/4		3/4		3/4		3/4		3/4		3/4	
2	9	2	148	2	329	2	479	2		2		2		2		2		2	
1/4	11	1/4	152	1/4	333	1/4	481	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	12	1/2	155	1/2	337	1/2	483	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	14	3/4	159	3/4	340	3/4	485	3/4		3/4		3/4		3/4		3/4		3/4	
3	16	3	163	3	344	3	487	3		3		3		3		3		3	
1/4	18	1/4	166	1/4	347	1/4	489	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	20	1/2	170	1/2	351	1/2	490	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	22	3/4	174	3/4	355	3/4	492	3/4		3/4		3/4		3/4		3/4		3/4	
4	25	4	177	4	358	4	493	4		4		4		4		4		4	
1/4	27	1/4	181	1/4	362	1/4	495	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	29	1/2	185	1/2	365	1/2	496	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	32	3/4	189	3/4	369	3/4	497	3/4		3/4		3/4		3/4		3/4		3/4	
5	34	5	192	5	373	5	498	5		5		5		5		5		5	
1/4	37	1/4	196	1/4	376	1/4	499	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	39	1/2	200	1/2	380	1/2	499	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	42	3/4	204	3/4	383	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6	45	6	208	6	386	6		6		6		6		6		6		6	
1/4	47	1/4	211	1/4	390	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	50	1/2	215	1/2	393	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	53	3/4	219	3/4	397	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	56	7	223	7	400	7		7		7		7		7		7		7	
1/4	59	1/4	227	1/4	403	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	61	1/2	230	1/2	407	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	64	3/4	234	3/4	410	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	67	8	238	8	413	8		8		8		8		8		8		8	
1/4	70	1/4	242	1/4	416	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	74	1/2	246	1/2	419	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	77	3/4	250	3/4	423	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	80	9	253	9	426	9		9		9		9		9		9		9	
1/4	83	1/4	257	1/4	429	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	86	1/2	261	1/2	432	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	89	3/4	265	3/4	435	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	93	10	269	10	438	10		10		10		10		10		10		10	
1/4	96	1/4	273	1/4	441	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	99	1/2	276	1/2	444	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	103	3/4	280	3/4	446	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	106	11	284	11	449	11		11		11		11		11		11		11	
1/4	109	1/4	288	1/4	452	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	113	1/2	292	1/2	455	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	116	3/4	295	3/4	457	3/4		3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

STRAPPED BY: 04/20/2021 JS  
CALCULATED: 04/20/2021 CL  
PRINTED: 04/20/2021 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 04/2021

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>