



BARGE "DCBL 81"

ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-1/4
2 CENTER	- 00-2/8	00-2/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8	- 00-7/8	00-7/8	- 01-1/8	01-1/8	- 01-3/8	01-3/8
3 CENTER	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-3/8	- 00-3/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS - 00-1/8"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED ULLAGE IS 3'-11 7/8"

LENGTH BETWEEN DRAFT MARKS: 159'-06"

August 31, 2007

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE 'DCBL 81''

1 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-01 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	61,539	0	51,359	0	41,178	0	30,998	0	20,892	0	10,891	0	923	0	0	0	0	0	0
1/4	61,327	1/4	51,147	1/4	40,966	1/4	30,786	1/4	20,687	1/4	10,678	1/4	737	1/4	1/4	1/4	1/4	1/4	1/4
1/2	61,115	1/2	50,935	1/2	40,754	1/2	30,574	1/2	20,482	1/2	10,466	1/2	558	1/2	1/2	1/2	1/2	1/2	1/2
3/4	60,903	3/4	50,723	3/4	40,542	3/4	30,362	3/4	20,276	3/4	10,253	3/4	379	3/4	3/4	3/4	3/4	3/4	3/4
1	60,691	1	50,510	1	40,330	1	30,150	1	20,071	1	10,040	1	200	1	1	1	1	1	1
1/4	60,479	1/4	50,298	1/4	40,118	1/4	29,937	1/4	19,866	1/4	9,827	1/4	22	1/4	1/4	1/4	1/4	1/4	1/4
1/2	60,267	1/2	50,086	1/2	39,906	1/2	29,725	1/2	19,660	1/2	9,615	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	60,055	3/4	49,874	3/4	39,694	3/4	29,513	3/4	19,455	3/4	9,402	3/4		3/4	3/4	3/4	3/4	3/4	3/4
2	59,843	2	49,662	2	39,482	2	29,301	2	19,250	2	9,189	2		2	2	2	2	2	2
1/4	59,630	1/4	49,450	1/4	39,270	1/4	29,089	1/4	19,044	1/4	8,977	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	59,418	1/2	49,238	1/2	39,057	1/2	28,877	1/2	18,839	1/2	8,764	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	59,206	3/4	49,026	3/4	38,845	3/4	28,665	3/4	18,634	3/4	8,551	3/4		3/4	3/4	3/4	3/4	3/4	3/4
3	58,994	3	48,814	3	38,633	3	28,453	3	18,428	3	8,339	3		3	3	3	3	3	3
1/4	58,782	1/4	48,602	1/4	38,421	1/4	28,241	1/4	18,223	1/4	8,126	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	58,570	1/2	48,390	1/2	38,209	1/2	28,029	1/2	18,018	1/2	7,913	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	58,358	3/4	48,177	3/4	37,997	3/4	27,817	3/4	17,813	3/4	7,700	3/4		3/4	3/4	3/4	3/4	3/4	3/4
4	58,146	4	47,965	4	37,785	4	27,604	4	17,607	4	7,488	4		4	4	4	4	4	4
1/4	57,934	1/4	47,753	1/4	37,573	1/4	27,392	1/4	17,402	1/4	7,275	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	57,722	1/2	47,541	1/2	37,361	1/2	27,180	1/2	17,197	1/2	7,062	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	57,510	3/4	47,329	3/4	37,149	3/4	26,968	3/4	16,991	3/4	6,850	3/4		3/4	3/4	3/4	3/4	3/4	3/4
5	57,297	5	47,117	5	36,937	5	26,756	5	16,786	5	6,637	5		5	5	5	5	5	5
1/4	57,085	1/4	46,905	1/4	36,724	1/4	26,544	1/4	16,581	1/4	6,424	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	56,873	1/2	46,693	1/2	36,512	1/2	26,332	1/2	16,375	1/2	6,212	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	56,661	3/4	46,481	3/4	36,300	3/4	26,120	3/4	16,169	3/4	5,999	3/4		3/4	3/4	3/4	3/4	3/4	3/4
6	56,449	6	46,269	6	36,088	6	25,908	6	15,963	6	5,787	6		6	6	6	6	6	6
1/4	56,237	1/4	46,057	1/4	35,876	1/4	25,696	1/4	15,756	1/4	5,574	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	56,025	1/2	45,844	1/2	35,664	1/2	25,484	1/2	15,550	1/2	5,362	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	55,813	3/4	45,632	3/4	35,452	3/4	25,271	3/4	15,344	3/4	5,150	3/4		3/4	3/4	3/4	3/4	3/4	3/4
7	55,601	7	45,420	7	35,240	7	25,059	7	15,138	7	4,938	7		7	7	7	7	7	7
1/4	55,389	1/4	45,208	1/4	35,028	1/4	24,847	1/4	14,932	1/4	4,725	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	55,176	1/2	44,996	1/2	34,816	1/2	24,635	1/2	14,720	1/2	4,514	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	54,964	3/4	44,784	3/4	34,603	3/4	24,423	3/4	14,507	3/4	4,303	3/4		3/4	3/4	3/4	3/4	3/4	3/4
8	54,752	8	44,572	8	34,391	8	24,211	8	14,294	8	4,092	8		8	8	8	8	8	8
1/4	54,540	1/4	44,360	1/4	34,179	1/4	23,999	1/4	14,081	1/4	3,881	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	54,328	1/2	44,148	1/2	33,967	1/2	23,787	1/2	13,869	1/2	3,675	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	54,116	3/4	43,936	3/4	33,755	3/4	23,575	3/4	13,656	3/4	3,469	3/4		3/4	3/4	3/4	3/4	3/4	3/4
9	53,904	9	43,723	9	33,543	9	23,363	9	13,443	9	3,263	9		9	9	9	9	9	9
1/4	53,692	1/4	43,511	1/4	33,331	1/4	23,150	1/4	13,231	1/4	3,057	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	53,480	1/2	43,299	1/2	33,119	1/2	22,945	1/2	13,018	1/2	2,858	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	53,268	3/4	43,087	3/4	32,907	3/4	22,740	3/4	12,805	3/4	2,658	3/4		3/4	3/4	3/4	3/4	3/4	3/4
10	53,056	10	42,875	10	32,695	10	22,535	10	12,593	10	2,458	10		10	10	10	10	10	10
1/4	52,843	1/4	42,663	1/4	32,483	1/4	22,329	1/4	12,380	1/4	2,258	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	52,631	1/2	42,451	1/2	32,270	1/2	22,124	1/2	12,167	1/2	2,064	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	52,419	3/4	42,239	3/4	32,058	3/4	21,919	3/4	11,954	3/4	1,871	3/4		3/4	3/4	3/4	3/4	3/4	3/4
11	52,207	11	42,027	11	31,846	11	21,713	11	11,742	11	1,677	11		11	11	11	11	11	11
1/4	51,995	1/4	41,815	1/4	31,634	1/4	21,508	1/4	11,529	1/4	1,484	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	51,783	1/2	41,603	1/2	31,422	1/2	21,303	1/2	11,316	1/2	1,297	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	51,571	3/4	41,390	3/4	31,210	3/4	21,097	3/4	11,104	3/4	1,110	3/4		3/4	3/4	3/4	3/4	3/4	3/4

STRAPPED: 08/31/2007 CL - SW
CALCULATED: 08/31/2007 CL
PRINTED: 08/31/2007 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 08/2007

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE 'DCBL 81"

2 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-01 3/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	70,543	0	58,941	0	47,340	0	35,738	0	24,218	0	12,842	0	1,303	0		0			
1/4	70,301	1/4	58,700	1/4	47,098	1/4	35,497	1/4	23,984	1/4	12,600	1/4	1,068	1/4		1/4			
1/2	70,059	1/2	58,458	1/2	46,857	1/2	35,255	1/2	23,750	1/2	12,358	1/2	834	1/2		1/2			
3/4	69,818	3/4	58,216	3/4	46,615	3/4	35,013	3/4	23,516	3/4	12,117	3/4	602	3/4		3/4			
1	69,576	1	57,975	1	46,373	1	34,772	1	23,282	1	11,875	1	370	1		1			
1/4	69,334	1/4	57,733	1/4	46,131	1/4	34,530	1/4	23,048	1/4	11,633	1/4	138	1/4		1/4			
1/2	69,093	1/2	57,491	1/2	45,890	1/2	34,288	1/2	22,814	1/2	11,392	1/2	22	1/2		1/2			
3/4	68,851	3/4	57,249	3/4	45,648	3/4	34,047	3/4	22,580	3/4	11,150	3/4		3/4		3/4			
2	68,609	2	57,008	2	45,406	2	33,805	2	22,346	2	10,909	2		2		2			
1/4	68,367	1/4	56,766	1/4	45,165	1/4	33,563	1/4	22,112	1/4	10,667	1/4		1/4		1/4			
1/2	68,126	1/2	56,524	1/2	44,923	1/2	33,322	1/2	21,878	1/2	10,425	1/2		1/2		1/2			
3/4	67,884	3/4	56,283	3/4	44,681	3/4	33,080	3/4	21,644	3/4	10,184	3/4		3/4		3/4			
3	67,642	3	56,041	3	44,440	3	32,838	3	21,410	3	9,942	3		3		3			
1/4	67,401	1/4	55,799	1/4	44,198	1/4	32,596	1/4	21,176	1/4	9,700	1/4		1/4		1/4			
1/2	67,159	1/2	55,558	1/2	43,956	1/2	32,355	1/2	20,942	1/2	9,459	1/2		1/2		1/2			
3/4	66,917	3/4	55,316	3/4	43,714	3/4	32,113	3/4	20,708	3/4	9,217	3/4		3/4		3/4			
4	66,676	4	55,074	4	43,473	4	31,871	4	20,474	4	8,975	4		4		4			
1/4	66,434	1/4	54,832	1/4	43,231	1/4	31,630	1/4	20,240	1/4	8,734	1/4		1/4		1/4			
1/2	66,192	1/2	54,591	1/2	42,989	1/2	31,388	1/2	20,006	1/2	8,492	1/2		1/2		1/2			
3/4	65,951	3/4	54,349	3/4	42,748	3/4	31,146	3/4	19,772	3/4	8,251	3/4		3/4		3/4			
5	65,709	5	54,107	5	42,506	5	30,905	5	19,538	5	8,009	5		5		5			
1/4	65,467	1/4	53,866	1/4	42,264	1/4	30,663	1/4	19,304	1/4	7,767	1/4		1/4		1/4			
1/2	65,225	1/2	53,624	1/2	42,023	1/2	30,421	1/2	19,070	1/2	7,526	1/2		1/2		1/2			
3/4	64,984	3/4	53,382	3/4	41,781	3/4	30,179	3/4	18,835	3/4	7,284	3/4		3/4		3/4			
6	64,742	6	53,141	6	41,539	6	29,938	6	18,601	6	7,043	6		6		6			
1/4	64,500	1/4	52,899	1/4	41,298	1/4	29,696	1/4	18,367	1/4	6,802	1/4		1/4		1/4			
1/2	64,259	1/2	52,657	1/2	41,056	1/2	29,454	1/2	18,132	1/2	6,560	1/2		1/2		1/2			
3/4	64,017	3/4	52,416	3/4	40,814	3/4	29,213	3/4	17,898	3/4	6,319	3/4		3/4		3/4			
7	63,775	7	52,174	7	40,572	7	28,971	7	17,663	7	6,078	7		7		7			
1/4	63,534	1/4	51,932	1/4	40,331	1/4	28,729	1/4	17,429	1/4	5,837	1/4		1/4		1/4			
1/2	63,292	1/2	51,690	1/2	40,089	1/2	28,488	1/2	17,191	1/2	5,596	1/2		1/2		1/2			
3/4	63,050	3/4	51,449	3/4	39,847	3/4	28,246	3/4	16,949	3/4	5,356	3/4		3/4		3/4			
8	62,808	8	51,207	8	39,606	8	28,004	8	16,708	8	5,115	8		8		8			
1/4	62,567	1/4	50,965	1/4	39,364	1/4	27,763	1/4	16,466	1/4	4,875	1/4		1/4		1/4			
1/2	62,325	1/2	50,724	1/2	39,122	1/2	27,521	1/2	16,224	1/2	4,635	1/2		1/2		1/2			
3/4	62,083	3/4	50,482	3/4	38,881	3/4	27,279	3/4	15,983	3/4	4,395	3/4		3/4		3/4			
9	61,842	9	50,240	9	38,639	9	27,037	9	15,741	9	4,155	9		9		9			
1/4	61,600	1/4	49,999	1/4	38,397	1/4	26,796	1/4	15,500	1/4	3,915	1/4		1/4		1/4			
1/2	61,358	1/2	49,757	1/2	38,155	1/2	26,558	1/2	15,258	1/2	3,676	1/2		1/2		1/2			
3/4	61,117	3/4	49,515	3/4	37,914	3/4	26,324	3/4	15,016	3/4	3,437	3/4		3/4		3/4			
10	60,875	10	49,273	10	37,672	10	26,090	10	14,775	10	3,199	10		10		10			
1/4	60,633	1/4	49,032	1/4	37,430	1/4	25,856	1/4	14,533	1/4	2,960	1/4		1/4		1/4			
1/2	60,392	1/2	48,790	1/2	37,189	1/2	25,622	1/2	14,291	1/2	2,722	1/2		1/2		1/2			
3/4	60,150	3/4	48,548	3/4	36,947	3/4	25,388	3/4	14,050	3/4	2,485	3/4		3/4		3/4			
11	59,908	11	48,307	11	36,705	11	25,154	11	13,808	11	2,247	11		11		11			
1/4	59,666	1/4	48,065	1/4	36,464	1/4	24,920	1/4	13,567	1/4	2,010	1/4		1/4		1/4			
1/2	59,425	1/2	47,823	1/2	36,222	1/2	24,686	1/2	13,325	1/2	1,774	1/2		1/2		1/2			
3/4	59,183	3/4	47,582	3/4	35,980	3/4	24,452	3/4	13,083	3/4	1,538	3/4		3/4		3/4			

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 08/31/2007 CL - SW
CALCULATED: 08/31/2007 CL
PRINTED: 08/31/2007 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 08/2007

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE 'DCBL 81"

3 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-00 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	62,971	0	52,570	0	42,169	0	31,768	0	21,369	0	10,974	0	646	0		0		0	
1/4	62,755	1/4	52,354	1/4	41,952	1/4	31,551	1/4	21,153	1/4	10,757	1/4	438	1/4		1/4		1/4	
1/2	62,538	1/2	52,137	1/2	41,736	1/2	31,334	1/2	20,936	1/2	10,540	1/2	230	1/2		1/2		1/2	
3/4	62,321	3/4	51,920	3/4	41,519	3/4	31,118	3/4	20,720	3/4	10,324	3/4	22	3/4		3/4		3/4	
1	62,105	1	51,703	1	41,302	1	30,901	1	20,503	1	10,107	1		1		1		1	
1/4	61,888	1/4	51,487	1/4	41,086	1/4	30,684	1/4	20,287	1/4	9,891	1/4		1/4		1/4		1/4	
1/2	61,671	1/2	51,270	1/2	40,869	1/2	30,468	1/2	20,070	1/2	9,674	1/2		1/2		1/2		1/2	
3/4	61,455	3/4	51,053	3/4	40,652	3/4	30,251	3/4	19,854	3/4	9,457	3/4		3/4		3/4		3/4	
2	61,238	2	50,837	2	40,435	2	30,034	2	19,637	2	9,241	2		2		2		2	
1/4	61,021	1/4	50,620	1/4	40,219	1/4	29,818	1/4	19,421	1/4	9,024	1/4		1/4		1/4		1/4	
1/2	60,805	1/2	50,403	1/2	40,002	1/2	29,601	1/2	19,204	1/2	8,807	1/2		1/2		1/2		1/2	
3/4	60,588	3/4	50,187	3/4	39,785	3/4	29,384	3/4	18,988	3/4	8,591	3/4		3/4		3/4		3/4	
3	60,371	3	49,970	3	39,569	3	29,168	3	18,771	3	8,374	3		3		3		3	
1/4	60,154	1/4	49,753	1/4	39,352	1/4	28,951	1/4	18,555	1/4	8,157	1/4		1/4		1/4		1/4	
1/2	59,938	1/2	49,537	1/2	39,135	1/2	28,734	1/2	18,339	1/2	7,941	1/2		1/2		1/2		1/2	
3/4	59,721	3/4	49,320	3/4	38,919	3/4	28,517	3/4	18,122	3/4	7,724	3/4		3/4		3/4		3/4	
4	59,504	4	49,103	4	38,702	4	28,301	4	17,906	4	7,508	4		4		4		4	
1/4	59,288	1/4	48,886	1/4	38,485	1/4	28,084	1/4	17,689	1/4	7,291	1/4		1/4		1/4		1/4	
1/2	59,071	1/2	48,670	1/2	38,269	1/2	27,867	1/2	17,473	1/2	7,074	1/2		1/2		1/2		1/2	
3/4	58,854	3/4	48,453	3/4	38,052	3/4	27,651	3/4	17,256	3/4	6,858	3/4		3/4		3/4		3/4	
5	58,638	5	48,236	5	37,835	5	27,434	5	17,039	5	6,641	5		5		5		5	
1/4	58,421	1/4	48,020	1/4	37,619	1/4	27,217	1/4	16,823	1/4	6,425	1/4		1/4		1/4		1/4	
1/2	58,204	1/2	47,803	1/2	37,402	1/2	27,001	1/2	16,606	1/2	6,208	1/2		1/2		1/2		1/2	
3/4	57,988	3/4	47,586	3/4	37,185	3/4	26,784	3/4	16,390	3/4	5,992	3/4		3/4		3/4		3/4	
6	57,771	6	47,370	6	36,968	6	26,567	6	16,173	6	5,776	6		6		6		6	
1/4	57,554	1/4	47,153	1/4	36,752	1/4	26,351	1/4	15,956	1/4	5,560	1/4		1/4		1/4		1/4	
1/2	57,337	1/2	46,936	1/2	36,535	1/2	26,134	1/2	15,740	1/2	5,343	1/2		1/2		1/2		1/2	
3/4	57,121	3/4	46,720	3/4	36,318	3/4	25,917	3/4	15,523	3/4	5,127	3/4		3/4		3/4		3/4	
7	56,904	7	46,503	7	36,102	7	25,700	7	15,306	7	4,912	7		7		7		7	
1/4	56,687	1/4	46,286	1/4	35,885	1/4	25,484	1/4	15,090	1/4	4,696	1/4		1/4		1/4		1/4	
1/2	56,471	1/2	46,069	1/2	35,668	1/2	25,267	1/2	14,873	1/2	4,480	1/2		1/2		1/2		1/2	
3/4	56,254	3/4	45,853	3/4	35,452	3/4	25,050	3/4	14,656	3/4	4,265	3/4		3/4		3/4		3/4	
8	56,037	8	45,636	8	35,235	8	24,834	8	14,440	8	4,050	8		8		8		8	
1/4	55,821	1/4	45,419	1/4	35,018	1/4	24,617	1/4	14,223	1/4	3,835	1/4		1/4		1/4		1/4	
1/2	55,604	1/2	45,203	1/2	34,802	1/2	24,400	1/2	14,007	1/2	3,620	1/2		1/2		1/2		1/2	
3/4	55,387	3/4	44,986	3/4	34,585	3/4	24,184	3/4	13,790	3/4	3,405	3/4		3/4		3/4		3/4	
9	55,171	9	44,769	9	34,368	9	23,967	9	13,573	9	3,191	9		9		9		9	
1/4	54,954	1/4	44,553	1/4	34,151	1/4	23,751	1/4	13,357	1/4	2,977	1/4		1/4		1/4		1/4	
1/2	54,737	1/2	44,336	1/2	33,935	1/2	23,534	1/2	13,140	1/2	2,763	1/2		1/2		1/2		1/2	
3/4	54,520	3/4	44,119	3/4	33,718	3/4	23,318	3/4	12,923	3/4	2,549	3/4		3/4		3/4		3/4	
10	54,304	10	43,903	10	33,501	10	23,101	10	12,707	10	2,336	10		10		10		10	
1/4	54,087	1/4	43,686	1/4	33,285	1/4	22,885	1/4	12,490	1/4	2,123	1/4		1/4		1/4		1/4	
1/2	53,870	1/2	43,469	1/2	33,068	1/2	22,668	1/2	12,274	1/2	1,911	1/2		1/2		1/2		1/2	
3/4	53,654	3/4	43,252	3/4	32,851	3/4	22,452	3/4	12,057	3/4	1,698	3/4		3/4		3/4		3/4	
11	53,437	11	43,036	11	32,635	11	22,235	11	11,840	11	1,487	11		11		11		11	
1/4	53,220	1/4	42,819	1/4	32,418	1/4	22,019	1/4	11,624	1/4	1,276	1/4		1/4		1/4		1/4	
1/2	53,004	1/2	42,602	1/2	32,201	1/2	21,802	1/2	11,407	1/2	1,065	1/2		1/2		1/2		1/2	
3/4	52,787	3/4	42,386	3/4	31,985	3/4	21,586	3/4	11,190	3/4	854	3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 08/31/2007 CL - SW
CALCULATED: 08/31/2007 CL
PRINTED: 08/31/2007 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 08/2007

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>