









# BARGE "HFL - 3076" HINES FURLONG LINE

## INNAGE TABLE

# FUEL OIL TANK

HULL NO. 4755

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.
0	0	0	116	0	288	0	442	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1/4	0	1/4	119	1/4	292	1/4	445	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1	1/2	122	1/2	296	1/2	447	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2	3/4	126	3/4	299	3/4	450	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1	3	1	129	1	303	1	452	1		1		1		1		1		1		1		1		1		1		1		1	
1/4	4	1/4	132	1/4	307	1/4	454	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	6	1/2	136	1/2	310	1/2	456	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	7	3/4	139	3/4	314	3/4	458	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2	9	2	143	2	317	2	460	2		2		2		2		2		2		2		2		2		2		2		2	
1/4	10	1/4	146	1/4	321	1/4	462	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	12	1/2	150	1/2	324	1/2	464	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	14	3/4	153	3/4	328	3/4	466	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3	16	3	157	3	331	3	468	3		3		3		3		3		3		3		3		3		3		3		3	
1/4	18	1/4	161	1/4	335	1/4	469	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	20	1/2	164	1/2	338	1/2	471	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	22	3/4	168	3/4	342	3/4	472	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4	24	4	171	4	345	4	474	4		4		4		4		4		4		4		4		4		4		4		4	
1/4	26	1/4	175	1/4	349	1/4	475	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	28	1/2	178	1/2	353	1/2	476	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	31	3/4	182	3/4	356	3/4	477	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5	33	5	186	5	359	5	477	5		5		5		5		5		5		5		5		5		5		5		5	
1/4	35	1/4	189	1/4	363	1/4	478	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	38	1/2	193	1/2	366	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	40	3/4	197	3/4	369	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6	43	6	200	6	372	6		6		6		6		6		6		6		6		6		6		6		6		6	
1/4	46	1/4	204	1/4	376	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	48	1/2	208	1/2	379	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	51	3/4	211	3/4	382	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	54	7	215	7	385	7		7		7		7		7		7		7		7		7		7		7		7		7	
1/4	57	1/4	219	1/4	388	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	59	1/2	222	1/2	391	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	62	3/4	226	3/4	395	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	65	8	230	8	398	8		8		8		8		8		8		8		8		8		8		8		8		8	
1/4	68	1/4	233	1/4	401	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	71	1/2	237	1/2	404	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	74	3/4	241	3/4	407	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	77	9	244	9	410	9		9		9		9		9		9		9		9		9		9		9		9		9	
1/4	80	1/4	248	1/4	413	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	83	1/2	252	1/2	416	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	86	3/4	255	3/4	418	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	89	10	259	10	421	10		10		10		10		10		10		10		10		10		10		10		10		10	
1/4	93	1/4	263	1/4	424	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	96	1/2	267	1/2	427	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	99	3/4	270	3/4	430	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	102	11	274	11	432	11		11		11		11		11		11		11		11		11		11		11		11		11	
1/4	106	1/4	278	1/4	435	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	109	1/2	281	1/2	437	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	112	3/4	285	3/4	440	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

NOTE: TABLE SCALED FROM EXTREME BOTTOM OF TANK

REFERENCE GAUGE HEIGHT : 3'-11 1/2" (TO RIM OF 2" PIPE)

STRAPPED: 12/10/2010

REISSUED : 05/19/2021 (TO REFLECT CHANGE OF BARGE NAME AND OWNERSHIP) BARGE NOT RESTRAPPED

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

BUREAU VERITAS NORTH AMERICA





# BARGE "HFL - 3076" HINES FURLONG LINE INNAGE TABLE

# SLOP (AFT)

HULL NO. 4755

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.	
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT
0	0	0	451	0	903	0	1,354	0	1,805	0		0		0		0		0		0		0		0		0		0		0	
1/4	9	1/4	461	1/4	912	1/4	1,363	1/4	1,815	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	19	1/2	470	1/2	921	1/2	1,373	1/2	1,824	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	28	3/4	480	3/4	931	3/4	1,382	3/4	1,834	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1	38	1	489	1	940	1	1,392	1	1,843	1		1		1		1		1		1		1		1		1		1		1	
1/4	47	1/4	498	1/4	950	1/4	1,401	1/4	1,852	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	56	1/2	508	1/2	959	1/2	1,410	1/2	1,862	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	66	3/4	517	3/4	969	3/4	1,420	3/4	1,871	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2	75	2	527	2	978	2	1,429	2	1,881	2		2		2		2		2		2		2		2		2		2		2	
1/4	85	1/4	536	1/4	987	1/4	1,439	1/4	1,890	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	94	1/2	545	1/2	997	1/2	1,448	1/2	1,899	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	103	3/4	555	3/4	1,006	3/4	1,457	3/4	1,909	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3	113	3	564	3	1,016	3	1,467	3	1,918	3		3		3		3		3		3		3		3		3		3		3	
1/4	122	1/4	574	1/4	1,025	1/4	1,476	1/4	1,928	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	132	1/2	583	1/2	1,034	1/2	1,486	1/2	1,937	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	141	3/4	592	3/4	1,044	3/4	1,495	3/4	1,946	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4	150	4	602	4	1,053	4	1,504	4	1,956	4		4		4		4		4		4		4		4		4		4		4	
1/4	160	1/4	611	1/4	1,063	1/4	1,514	1/4	1,965	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	169	1/2	621	1/2	1,072	1/2	1,523	1/2	1,975	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	179	3/4	630	3/4	1,081	3/4	1,533	3/4	1,984	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5	188	5	639	5	1,091	5	1,542	5	1,993	5		5		5		5		5		5		5		5		5		5		5	
1/4	197	1/4	649	1/4	1,100	1/4	1,551	1/4	2,003	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	207	1/2	658	1/2	1,110	1/2	1,561	1/2	2,012	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	216	3/4	668	3/4	1,119	3/4	1,570	3/4	2,022	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6	226	6	677	6	1,128	6	1,580	6	2,031	6		6		6		6		6		6		6		6		6		6		6	
1/4	235	1/4	686	1/4	1,138	1/4	1,589	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	244	1/2	696	1/2	1,147	1/2	1,599	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	254	3/4	705	3/4	1,157	3/4	1,608	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	263	7	715	7	1,166	7	1,617	7		7		7		7		7		7		7		7		7		7		7		7	
1/4	273	1/4	724	1/4	1,175	1/4	1,627	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	282	1/2	733	1/2	1,185	1/2	1,636	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	291	3/4	743	3/4	1,194	3/4	1,646	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	301	8	752	8	1,204	8	1,655	8		8		8		8		8		8		8		8		8		8		8		8	
1/4	310	1/4	762	1/4	1,213	1/4	1,664	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	320	1/2	771	1/2	1,222	1/2	1,674	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	329	3/4	780	3/4	1,232	3/4	1,683	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	339	9	790	9	1,241	9	1,693	9		9		9		9		9		9		9		9		9		9		9		9	
1/4	348	1/4	799	1/4	1,251	1/4	1,702	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	357	1/2	809	1/2	1,260	1/2	1,711	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	367	3/4	818	3/4	1,269	3/4	1,721	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	376	10	827	10	1,279	10	1,730	10		10		10		10		10		10		10		10		10		10		10		10	
1/4	386	1/4	837	1/4	1,288	1/4	1,740	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	395	1/2	846	1/2	1,298	1/2	1,749	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	404	3/4	856	3/4	1,307	3/4	1,758	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	414	11	865	11	1,316	11	1,768	11		11		11		11		11		11		11		11		11		11		11		11	
1/4	423	1/4	874	1/4	1,326	1/4	1,777	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	433	1/2	884	1/2	1,335	1/2	1,787	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	442	3/4	893	3/4	1,345	3/4	1,796	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

REFERENCE GAUGE HEIGHT : 5'-7 1/4"

STRAPPED: 12/10/2010  
REISSUED : 05/19/2021 (TO REFLECT CHANGE OF BARGE NAME AND OWNERSHIP) BARGE NOT RESTRAPPED

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

BUREAU VERITAS NORTH AMERICA



BUREAU VERITAS

# BARGE "HFL - 3076"

## HINES FURLONG LINE

HULL NO. 4755

### CORRECTION TABLE FOR TRIM AFT.

### FOR OUTAGE GAUGES ONLY

TRIM	TANKS NO. 1 PORT OR STAR.	TANKS NO. 2 PORT OR STAR.	TANKS NO. 3 PORT OR STAR.
0'-6"	(+) 0' - 1"	(+) 0' - 1"	(-) 0' - 1"
1'-0"	(+) 0' - 2"	(+) 0' - 2"	(-) 0' - 2"
1'-6"	(+) 0' - 3"	(+) 0' - 3"	(-) 0' - 3"
2'-0"	(+) 0' - 4"	(+) 0' - 4"	(-) 0' - 4"
2'-6"	(+) 0' - 5"	(+) 0' - 5"	(-) 0' - 5"
3'-0"	(+) 0' - 6"	(+) 0' - 6"	(-) 0' - 6"
3'-6"	(+) 0' - 7"	(+) 0' - 7"	(-) 0' - 7"
4'-0"	(+) 0' - 8"	(+) 0' - 8"	(-) 0' - 8"
4'-6"	(+) 0' - 9"	(+) 0' - 9"	(-) 0' - 9"
5'-0"	(+) 0' - 9 7/8"	(+) 0' - 10"	(-) 0' - 9 7/8"

NOTE: FOR TRIM FWD., REVERSE SIGNS.

NOTE: IF LIQUID SURFACE TOUCHES TANK BOTTOM OR DECK WHEN GAUGED, TRIM CORRECTIONS ARE NOT ACCURATE.

NOTE: FOR "INNAGE" GAUGES, REVERSE SIGNS.

**NOTE: FOR 2" DIAMETER BALL VALVE ONLY (CLOSED GAUGING)**

DATE: 05/19/21

BY:   
BUREAU VERITAS NORTH AMERICA